

Spotex®

Tretinoin USP 0.1%

Description: Spotex® is a topical stretch marks removing cream which is a preparation of Tretinoin.

Mode of action: Tretinoin is a retinoid that has been shown to regulate cell reproduction, proliferation, and differentiation. It also reduces the cohesiveness and increases the turnover of follicular epithelial cells.

Composition: Spotex® Cream: Each gram cream contains Tretinoin USP 1 mg.

Indications: Spotex® Cream is indicated for the treatment of Pregnancy-Related Abdominal Striae (Stretch Marks). It is also indicated for the topical treatment of acne vulgaris, mottled hyperpigmentation, photo damaged skin, flat warts and other skin conditions eg- ichthyosis vulgaris, keratosis follicularis.

Dosage & administration:

- Wash and dry the affected area gently with a soap or facewash
- Apply thin film to affected area once daily before the bedtime or directed by the physician

Contraindications: Patients who have hypersensitivity to Tretinoin, this cream is contraindicated for those patients.

Side effects: Some mild side effects may be shown like- erythema, itching, burning & dry skin.

Use in pregnancy & lactation: There is an inadequate evidence of the safety of topically applied Tretinoin in human pregnancy. It should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.

It is not known whether Tretinoin is excreted in human milk.

Precautions: This product is only for external application, not for the eyes. After apply avoid exposure to sunlight.

Drug interactions: Tretinoin may not work properly or skin irritation might occur if it is used with any other skin product containing a peeling agent (eg, benzoyl peroxide, resorcinol, salicylic acid or sulfur).

Overdose: Use of excess amount of this cream can lead to peeling, irritation, and excessive dryness.

Storage: Keep out of reach of children. Store in a dry place, below 25°C temperature and protected from light.

Packaging: Spotex® Cream: Each pack has a tube containing 50 gm Cream.

স্পটেক্স®

ট্রিটিনয়িন ইউএসপি ০.১%

বিবরণ: স্পটেক্স® হলো একটি টপিক্যাল মাতৃত্বকালীন পেটের ফাটা দাগ দূর করার জ্ঞাম যা ট্রিটিনয়িন-এর একটি প্রস্তুতি।

কার্যপ্রণালী: ট্রিটিনয়িন হলো একটি রেটিনয়েড যা নতুন কোষ সৃষ্টি, বৃদ্ধি এবং পার্থক্যকরণ নিয়ন্ত্রণ করে। এটি ফলিকুলার এপিথেলিয়াল কোষের সংযুক্তি হ্রাস করে এবং ট্যান্সভোর বাড়ায়।

উপাদান: স্পটেক্স® জ্ঞাম: প্রতি গ্রাম জ্ঞামে থাকে ট্রিটিনয়িন ইউএসপি ১ মিলিগ্রাম।

নির্দেশনা: স্পটেক্স® জ্ঞাম গর্ভবত্তায় পেটের ফাটা দাগ (স্টেচ মার্কস) এর চিকিৎসার জন্য নির্দেশিত হয়। এটি ব্রণ, অতিরিক্ত কালো দাগ, সূর্যালোকে স্ফৰ্ত্তাত্ত্ব তুক, আচিল এবং অন্যান্য তুকের অবস্থার জন্যও নির্দেশিত হয় যেমন- ইকথাইওসিস ভালগারিস, কেবাচোসিস ফলিকুলারিস।

মাত্রা ও প্রয়োগ:

- আক্রান্ত ছান্টিকে সাবান বা ফেসওয়াশ দিয়ে আলতো করে ধুয়ে শুকিয়ে নিন
- শোবার আগে প্রতিদিন একবার আক্রান্ত ছানে পাতলা করে লাগান বা চিকিৎসকের নির্দেশে জ্ঞামটি প্রয়োগ করুন

বিবরণ ব্যবহার: যে রোগীদের ট্রিটিনয়িন-এর প্রতি অতি অতি সংবেদনশীলতা আছে, এই জ্ঞাম সেই রোগীদের জন্য প্রতিনিদেশিত।

পর্যাপ্ততাক্রিয়া: কিছু হালকা পর্যাপ্ততাক্রিয়া দেখা যেতে পারে যেমন- লালচে তুক, চুলকানি, জ্বালাপোড়া এবং শুক তুক।

গর্ভবত্তা ও স্তন্যদানকালে ব্যবহার: গর্ভবত্তায় ট্রিটিনয়িন তুকের উপরিভাগে প্রয়োগ করা নিরাপদ কিনা এ ব্যাপারে পর্যাপ্ত প্রমাণ নেই। এটি শুধুমাত্র তখনি গর্ভবত্তায় ব্যবহার করা উচিত যেন এর সুবিধা ভূগ্রের সম্ভাব্য ক্ষতি না করে।

মাতৃদুষ্ফোট ট্রিটিনয়িন নির্গত হয় কিনা তা জানা যায়নি।

সতর্কতা: এই ওধুটি শুধুমাত্র বাহ্যিক প্রয়োগের জন্য, চোখের জন্য নয়। জ্ঞাম ব্যবহারের পর সূর্যালোকের সংস্পর্শ প্রতিয়ে চুকন।

অন্য ওধুরের সাথে ব্যবহার: ট্রিটিনয়িন পিলিং এজেন্ট (যেমন, বেনজয়েল পারাক্সাইড, রেসেোরসিনেল, স্যালিসিলিক অ্যাসিট বা সালফার) ধারণকারী অন্য কোন তুকের ওধুরের সাথে ব্যবহার করলে সঠিকভাবে কাজ নাও করতে পারে বা তুকের জ্বালা হতে পারে।

মাত্রাধিক: এই জ্ঞামটি অতিরিক্ত পরিমাণে ব্যবহার করলে তুকে আঁশের মতো ওঠা, জ্বালাঁ পোড়া ভাব এবং অতিরিক্ত শুক হতে পারে।

সংরক্ষণ: শিশুদের নাগালের বাইরে রাখুন। আলো থেকে দূরে, ২৫° সে. তাপমাত্রার নিচে এবং শুষ্কভাবে রাখুন।

উপচাপনা: স্পটেক্স® জ্ঞাম: প্রতিটি প্যাকে একটি টিউবে আছে ৫০ গ্রাম জ্ঞাম।

০৯৮৭



Manufactured by
Opsonin Pharma Limited
Rupatali, Barishal, Bangladesh
® Registered Trade Mark.