



Mave®

Mebeverine Hydrochloride BP

Description

Mebeverine Hydrochloride (Mave®) is an effective antispasmodic agent used to treat irritable bowel syndrome and bowel spasm.

Mode of action

Mebeverine Hydrochloride (Mave®) has direct relaxant effect on smooth muscle and thus reduces the spasm of the GI tract. It reduces the sodium ion permeability of smooth muscle cells. It also reduces potassium ion efflux, thus avoiding hypotonia.

Pharmacokinetics

Mebeverine Hydrochloride (Mave®) is rapidly absorbed after oral administration with peak plasma concentrations occurring in 1 to 3 hours. It is 75% bound to albumin in plasma. The metabolites are excreted in the urine.

Composition

Mave® Tablet: Each film-coated tablet contains Mebeverine Hydrochloride BP 135 mg.

Indications

Symptomatic relief of irritable bowel syndrome and spasm of the gastro-intestinal tract.

Dosage & administrations

Adult and children over 10 years: 135-150 mg 3 times daily preferably 20 minutes before meals.

Contraindications

Mebeverine is contraindicated in patients with hypersensitivity to mebeyerine.

Use in pregnancy & lactation

It should not be taken by pregnant woman unless the potential benefits outweigh the risk. Small amount is secreted in breast milk.

Side effects

In recommended doses, mebeyerine is well tolerated. Flushing of the face, headache, malaise, dizziness, drowsiness may occur on rare occasion.

Precautions

Mebeyerine should be avoided in patients with paralytic ileus. Based on theoretical concerns, it should be used with care in patients with marked hepatic or renal impairment, and those with cardiac disorders such as heart block.

Overdosage

In overdosage fatality takes place when thioridazine was taken. No specific antidote in case of CNS excitability.

Storage

Store in a cool and dry place, protected from light.

Packaging

Mave® Tablet: Each carton contains 10X5 tablets in blister pack.

057-10



Manufactured by
Opsonin Pharma Limited
Rupatali, Barishal, Bangladesh.
® Registered Trade Mark.

